FIXED FOOT CROWD BARRIER 2.3M



Compact and lightweight steel barriers with integrated feet for reliable, portable crowd control at events and public gatherings.

SKU: 1007071.00 | **Categories:** Crowd Control, Crowd Control Barriers

PRODUCT DESCRIPTION

Fixed Foot Crowd Control Barriers provide a practical and cost-effective solution for directing pedestrian movement and managing low to medium-density crowds. Standing **1.1 metres high**, these barriers are ideal for sporting events such as cycling races, marathons, fun runs, parades, public festivals, roadworks, and temporary access control where safe crowd guidance is essential.

Manufactured from **smart weld galvanised steel**, the barriers feature a robust round-top frame with minimal joints for increased strength and durability. Their **tamper-resistant hook-and-eye connection system** allows each panel to interlock securely while enabling rapid installation and dismantling over long distances.

The integrated fixed feet provide excellent stability on a variety of surfaces without requiring additional supports, making these barriers easy to transport, deploy, and reposition throughout an event. They are also well suited for securing catering areas, merchandise stands, VIP parking zones, and other temporary restricted areas.

Supplied in **packed sets of 25 barriers**, Lightweight Crowd Control Barriers offer a reliable, flexible, and efficient solution for event organisers requiring fast deployment and dependable pedestrian management.

Additional Information

- **Panel Size:** 2.3m wide × 1.1m high
- **Finish:** Standard galvanised steel (alternative colours available on request)
- **Features:**
  - Lightweight yet durable galvanised steel construction
  - Fixed integrated feet for improved stability
  - Tamper-proof hook-and-eye interlocking system
  - Round-top frame with reinforced welded construction
  - Rapid installation and dismantling
  - Supplied in packs of 25
- **Ideal Applications:**
  - Sporting events
  - Marathons and cycling races
  - Parades
  - Roadworks and pedestrian diversions
  - Public events and festivals
  - Queue management
  - VIP and restricted access areas

TECHNICAL INFORMATIONS

Weight	15.2 kg
Dimensions	2.30 × 0.05 × 1.20 m
Material	Steel construction
Feet Type	Integrated feet for stability and simple setup
Transport	Delivered on transport pallets, 25 barriers per pallet

ADDITIONAL IMAGES












Pay with Contactless
Pay with Contactless